


A168 Advanced PCIe Card

PCIe Bus Eight Port Card



★ Suitable for **industrial control**

★ Suitable for **Windows 2000/XP**

★ Suitable for **Vista & WIN7/8/10**

★ Suitable for **Linux**

A168 Specification :

Serial Communication Controller :

*type : ASIX MCS9900

Hardware compatibility :

*PCIe bus slot.

Software compatibility :

* Windows 2000/XP.

* Windows Vista.

* WIN7/8/10.

* Linux.

* Other operation system.

Dimension :

*A168 card: 135 * 105 mm.

*A168 model with standard PCIe bracket.

System I/O & IRQ mapping :

*I/O mapping assigned by PCI BIOS.

*Memory mapping assigned by PCI BIOS.

*four IRQ mapping assigned by PCI BIOS.

Port capability :

*number of port : 8 ports per card.

*Interface : RS232.

*Baud Rate: each port can be configured to 50--230400bps.

*Connector type: DB62 female connector.

*R804 cable support DB62 male to Eight DB9 male connector.

*R801 cable support DB62 male to Eight DB25 male connector.

Environment :

*operating temperature : 0°C to 55°C

*operating humidity : 10% to 95% RH

*storage temperature : 0°C to 65°C

*storage humidity : 5% to 95% RH

Performance upgrade capability and relative products :

*A102 : PCIe card support two RS232 ports.

*A132 : PCIe card support two RS422/RS485 ports.

*A112 : PCIe card support two RS232/RS422/RS485 ports.

*A114 : PCIe card support four RS232/RS422/RS485 ports.

*A134 : PCIe card support four RS422/RS485 ports.

*A118 : PCIe card support eight RS232/RS422/RS485 ports.

*A134I: PCIe card support four Ground isolated RS422/RS485 ports.

*A124I: PCIe card support two RS232 and two Ground isolated RS422/RS485 ports.

***All names are the trademarks of their respective organization.



RAYON TECHNOLOGY CO., LTD.

2F, No. 177, Chung Shan 2 Rd., Lu Chou, New Taipei city, Taiwan, R.O.C.

TEL: 886-2-82858362 FAX: 886-2-82857065

E-Mail: rayon@ms1.hinet.net or info@rayontech.com.tw

WEB: <http://www.rayontech.com.tw>