

PCIe Bus Four Port Card

Low Profile PCIe card



★Suitable for industrial control
★Suitable for Windows 2000/XP
★Suitable for Vista & WIN7/8/10
★Suitable for Linux

m AL104L Specification :	
Serial Communication Controller :	<u>System I/O & IRQ mapping :</u>
*type : ASIX MCS9904	*I/O mapping assigned by PCI BIOS.
	*Memory mapping assigned by PCI BIOS.
<u>Hardware compatibility :</u>	*four IRQ mapping assigned by PCI
*PCIe bus slot.	BIOS.
Software compatibility :	Port capability :
* Windows 2000/XP.	*number of port : 4 ports per card.
* Windows Vista.	*Interface : RS232.
* WIN7/8/10.	*Baud Rate: each port can be configured to
* Linux.	50230400bps.
* Other operation system.	*Connector type: DB44 female connector.
	*R904 cable support DB44 male to four
<u>Dimension :</u>	DB9 male connector.
*AL104L card: 92 * 69 mm.	*R901 cable support DB44 male to four
*AL104L model with low profile PCIe	DB25 male connector.
bracket.	
	Environment :
	*operating temperature $:0^\circ\!\mathbb{C}$ to $55^\circ\!\mathbb{C}$
	*operating humidity : 10% to 95% RH
	*storage temperature : $0^\circ C$ to $65^\circ C$
	*storage humidity : 5% to 95% RH

Performance upgrade capability and relative products :

*A102 : PCIe card support two RS232 ports.

*A132 : PCIe card support two RS422/RS485 ports.

*A112 : PCIe card support two RS232/RS422/RS485 ports.

*A114 : PCIe card support four RS232/RS422/RS485 ports.

*A134 : PCIe card support four RS422/RS485 ports.

*A168 : PCIe card support eight RS232 ports.

*A134I: PCIe card support four Ground isolated RS422/RS485 ports.

*A124I: PCIe card support two RS232 and two Ground isolated RS422/RS485 ports.

***All names are the trademarks of their respective organization.

RAYON TECHNOLOGY CO., LTD.

