

★ Combine one IP to 4 serial port converter and one master to
 4 slave serial port sharer in one box.

★ One device can be accessed in 4 locations via IP access.

★Auto-detecting 10/100Mbps Ethernet interface.

★Support WIN2000/XP/WIN7/8/10 virtual COM driver.

★Support **TCP** server/Client mode.

★Support UDP send/receive mode.

★Support WEB,TELNET and terminal setup.

APORT400SR IP to Serial Port Sharer Specification :	
Hardware Specification:	Software Compatibility:
* CPU: 32bit 100MHz MIPS CPU.	*TCP/IP or UDP/IP connection.
* Flash ROM: 16M Byte.	*WIN 7/8/10/2000/XP Virtual COM driver.
* SDRAM: 16M Byte.	*LINUX raw TTY driver.
	*SCO UNIX real TTY driver.
LAN connection:	
*Interface: 10/100Mbps 100BaseT	Power Requirement:
*Connector: RJ45	*5VDC @ 1200mA.
<u>Serial port:</u>	Dimension:
*Interface: RS232	205*135*29mm.
*connector: DB9 male.	
*Port Number: 1.	Environment:
*speed: upto 230400bps.	*Operating temperature: 540 $^{\circ}$ C.
NOTE: console port share with serial port	1 *Operating humidity: 1090%RH.
NOTE: one master serial port to connect	*Storage temperature: 065 °C.
with external device and 4 slave por	*Storage humidity: 590%RH.
to access via IP network.	

Other relative product information:

APORT200: IP to two RS232 serial port converter.
APORT020: IP to two ground isolated RS232 serial port converter.
APORT101: IP to one RS232 and one ground isolated RS422/485 serial port converter.
APORT400: IP to four RS232 serial port converter.
APORT040: IP to four ground isolated RS232 serial port converter.
APORT040: IP to two RS232 and two ground isolated RS422/485 serial port converter.
APORT202: IP to two ground isolated RS232 and two ground isolated RS422/485 serial port converter.
APORT022: IP to two ground isolated RS232 and two ground isolated RS422/485 serial port converter.
APORT602: IP to six RS232 and two ground isolated RS422/485 serial port converter.
APORT602: IP to six RS232 and two ground isolated RS422/485 serial port converter.
APORT602: IP to six RS232 and two ground isolated RS422/485 serial port converter.
APORT602: IP to six RS232 and two ground isolated RS422/485 serial port converter.



RAYON TECHNOLOGY CO., LTD.

2F, No. 177, Chung_Shan 2 Rd., Lu_Chou, New Taipei city, Taiwan. TEL: 886-2-82858362 FAX: 886-2-82857065 E-Mail: rayon@ms1.hinet.net ; info@rayontech.com.tw WEB: http://www.rayontech.com.tw WEB: http://www.rayontech.com